

2.




FIG.2




FIG.3A





FIG.3B

FIG. 4A

```
graph TD
    START([START 302]) --> 304[RECEIVE AND DECODE NEXT WAP PACKET 304]
    304 --> 306{PACKET IS IN UPLINK DIRECTION? 306}
    306 -- YES --> 310{FIRST PACKET OF A TRANSACTION? 310}
    306 -- NO --> 340[LOOKUP TRANSACTION IN INTERNAL LIST 340]
    310 -- YES --> 312[POLL GPRS MONITOR FOR WAP CLIENT INFORMATION 312]
    310 -- NO --> 316[LOOKUP TRANSACTION IN INTERNAL LIST 316]
    312 --> 314{WAP CLIENT FOUND? 314}
    314 -- YES --> 318{LOOKUP SUCCESSFUL? 318}
    314 -- NO --> FF((FF))
    316 --> 318
    318 -- YES --> EE((EE))
    318 -- NO --> 346{REDUNDANT RETRANSMISSION? 346}
    346 -- YES --> CCDD((CCDD))
    346 -- NO --> BB((BB))
    340 --> 342{LOOKUP SUCCESSFUL? 342}
    342 -- YES --> 344[POLL GPRS MONITOR FOR WAP CLIENT INFORMATION 344]
    342 -- NO --> AA((AA))
    344 --> 346
```







FIG. 4B






FIG. 6